



KARA II

Date : 09/2022



LONG THROW K SERIES CONFIGURATION AND KIT LIST

KARA II KIT LIST


		H STANDARD		KX STANDARD (*)	
KARA II SYSTEM	DESCRIPTION	12 KARA	12 KARA 8 SB18	18 KARA 8 SB18	24 KARA 8 SB18
KARA II	2-way active WST® enclosure: 2 x 8" LF + 3" HF diaphragm	12	12	18	24
KARA-MINIBU	Mini bumper for flying 6 KARA (II)	2	2	0	0
KARA-MINIBUEX	Extension bars for flying/stacking SB18/KARA (II)	0	0	0	0
M-BUMP	Bumper for flying or stacking KARA (II)/SB18	0	0	2	2
M-BAR	Extension bar for rigging frame	0	0	2	2
KARA-PULLBACK	Pullback plate for KARA (II)	2	2	2	2
M-JACK	4 tilt adjustment screw jacks with 2 angle bar extensions for stacked M-BUMP	0	0	2	2
KARA-ANGARMEX	2 angle bar extension for KARA (II) bumper	2	2	2	2
SB18 SYSTEM					
SB18	High power compact subwoofer: 1 x 18"	0	8	8	8
SB18PLA	Removable front dolly on wheels for SB18/SB18m enclosure	0	8	8	8
SB18-COV	Protective cover for SB18(m) enclosure	0	8	8	8
KARA-MINIBU	Mini bumper for flying 6 KARA (II)	0	2	0	0
KARA-MINIBUEX	Extension bars for flying/stacking SB18/KARA (II)	0	2	0	0
M-BUMP	Bumper for flying or stacking KARA (II)/SB18	0	0	2	2
M-BAR	Extension bar for rigging frame	0	0	2	0
AMPLIFIED CONTROLLERS					
LARAK II AVB	Touring rack AVB (9U with 3 LA12X/2 LS10 and signal and power distribution panels)	0	0	0	2
POW2	32A Power Link 2m	0	0	0	2
LA12X	Amplified controller 4 x 2600 W/4 Ohms CE mains connector	2	4	4	0
P1	Digital audio processor and measurement platform: 20 x 18 mic/line AES/EBU and AVB. CE version	0	0	0	1
LS10	10-port AVB Switch. CE Version	0	0	0	2
LS10 RAKSHELF	1U Rack Shelf for two LS10	0	0	0	1
CABLES					
DOE2	Dual AVB network cable CAT6A: etherCON 2m length	0	0	0	2
DOE45	Dual AVB network cable CAT6A: etherCON 45m length	0	0	0	1
DOE100	Dual AVB network cable CAT6A: etherCON 100m length	0	0	0	1
SP.7	Speaker cable: 4 x 4mm² NL4 0.7m length	8	12	16	16
SP25	Speaker cable: 4 x 4mm² NL4 25m length	0	0	4	0
SP.Y1	Y split speaker cable: 2 x 2.5mm² NL4 1m length (with CC4FP adaptor)	0	0	2	0
DO25	Speaker cable: 8 x 4mm² CA-COM 25m length	2	4	2	6
DOFILL-LA8	Speaker cable extension for active 2 way enclosures CA-COM > 2 NL4 length 3.5m	2	2	2	4
DOSUB-LA8	Speaker cable breakout for passive enclosures CA-COM > 4 NL2 length 5m	0	2	0	2
TRAINING					
TRAINING L1	On site training level 1 (per day)	0	0	2	2
TRAVEL-LOCAL	Local travel and meals	0	0	0	0
TRAVEL-SHORT	Short haul travel meals and lodging	0	0	0	0
TRAVEL-MEDIUM	Medium haul travel meals and lodging	0	0	1	1
TRAVEL-LONG	Long haul travel meals and lodging	0	0	0	0
TRAVEL-EXTRA	Meals and lodging cost for any additional day on site	0	0	0	0
TRA-VOU1	1 day level 1 training (valid for 1 participant)	4	4	0	0
TOOLKIT					
TECH TOOLCASE II	System technician tool case fully loaded	0	1	1	1
MAINTENANCE TOOLCASE	Maintenance tool case fully loaded	0	0	0	1
SERVICE STARTER KIT KARA II					
G03520	KR diaphragm for 3" driver Kara II(i)	1	1	1	1
G03521	KR compression driver 3" Kara II(i)	1	1	1	1
G03616	KR loudspeaker 8" Kara(i) / Kara II(i)	1	1	1	1
KR PIN601	Kit 10 pins long T-shaped head screws & rivets	0	0	1	1
KR PIN621	Kit 10 pins short round head screws & rivets	1	1	1	1
SERVICE STARTER KIT SB18					
KR HPBC182	KR 18" loudspeaker SB18(i) / SB18 II	0	1	1	1
KR CAPLATPIN	KR pins for dolly boards LARAK II (AVB)	0	1	1	1

(*) System might be different from minimum KX standard requirements.


12 KARA II FOH




12 KARA II/SUB FOH (H Standard)



18 KARA II FOH (H Standard)



24 KARA II FOH (KX Standard)



KIT 24 KARA II FOH

